



In the United States Patent and Trademark Office

Application Number: 09/620,331

Application Filed:

07/20/2000

Applicant(s):

Gamble et al.

Appn. Title:

Sample Collection and Processing Device

Examiner/GAU:

Snay, Jeffery R/1743

Att. Doc. No.

ML-02C

Mailed 8/9/2005

At: Dahlonega, GA

Response to Supplementary Notice of Allowability

Commissioner for Patents

PO Box 1450

Alexandria, VA 22313-1450

Sir:

In response to the Supplementary Notice of Allowability mailed 06/21/2005 the following replacement drawings are submitted;

Sheet 3, FIGS. 2B-2D

Sheet 6, FIG. 5

	5-1	•
OIPE	Application No.	Applicant(s)
Supplemental	09/620,331	GAMBLE ET AL.
Supplemental Aug 1 1 2005 Motice of Allowability	Examiner	Art Unit
	Jeffrey R. Snay	1743
RADEMA		-:4 the correspondence address.
- The MAILING DATE of this communication appears on the cover sheet with the correspondence address- All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to		
		COPY
2. The allowed claim(s) is/are 10-13,17-27 and 29-32.		
3. The drawings filed on are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). 		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) I including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) Thereto or 2) to Paper No./Mail Date (b) M including changes required by the attached Examiner's Amendment / Comment or in the Office action of		
(b) ☑ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 □ Notice of	nformal Patent Application (PTO-152)
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 		Summary (PTO-413),
	Paper No	/Mail Date
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	-,,	s Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit		s Statement of Reasons for Allowance
of Biological Material	9.	•

Application/Control Number: 09/620,331

Art Unit: 1743

Drawings

A proposed drawing correction to figure 2D was received on January 27, 2003. This correction is acceptable. However, no replacement for original drawing sheet 3 containing figures 2B-2D has been submitted. In order to avoid abandonment of this application, correction is required in reply to this Office action. The correction will not be held in abeyance.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

Replacement Drawing Sheets

Drawing changes must be made by presenting replacement sheets which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments section, or remarks, section of the amendment paper. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). A replacement sheet must include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and within the top margin.

Timing of Corrections

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

Supervisory Patent Examiner Technology Center 1700